

Product

Poly Mini-Split Condensate Drain Pan

Purpose

When mini-split heat pumps run in heat mode, condensation can form on the outdoor coils. In certain installations, such as a wall mount, dripping condensation can be a nuisance. In some locations a drain pan may be required by local building codes. The condensate drain pan bolts on to the outdoor unit mounting brackets, and a drain line can be plumbed to a suitable location. All mounting hardware and drain pan outlet are included.



Features

- Not susceptible to rust.
- No stagnant water: The surface is slightly sloped to ensure condensate drains to the outlet.
- The permanent fitting adapts to the following standard tubing sizes: 0.62" (16mm) 0.70" (18mm) 0.78" (20mm)
- Fully adjustable within the size limitations of the tray.
- Adaptable to any kind of wall bracket using the adjustable arm-supports.
- Supplied with mounting hardware including galvanized steel screws to secure the tray to the arms.

General Specifications

- Tray: UV-stabilized polypropylene (halogen free)
- Arm-support: UV-stabilized glass fiber reinforced polypropylene (halogen free)
- Screw: Galvanized steel

General Characteristics

Part Number	Description	Length (in)	Width (in)	Order Multiple
230-DPPL	Type 3 wall-mount drain pan	37.0	16.5	1
230-DPPM	Type 2 hanging drain pan	31.1	15.4	1